

## TECHNICAL DATA

HOOK			XXS	XS	S	M	L
CELLS	NUMBER		47	47	47	47	47
	CLOSED		6	6	6	6	6
	BOX		23	23	23	23	23
FLAT	AREA	M2	21	23	25,87	27,7	30,5
	SPAN	M	10,36	10,84	11,5	11,9	12,48
	ASPECT RATIO		5,11	5,11	5,11	5,11	5,11
PROJECTED	AREA	M2	18,27	19,99	22,45	24,02	26,4
	SPAN	M	8,4	8,78	9,29	9,6	10,06
	ASPECT RATIO		3,85	3,85	3,85	3,85	3,85
FLATTENING		%	13	13	13	13	13
CORD	MAXIMUM	M	2,55	2,67	2,83	2,93	3,07
	MINIMUM	M	0,73	0,76	0,81	0,83	0,88
	AVERAGE	M	2,02	2,12	2,24	2,32	2,44
LINES	TOTAL METERS	M	308	316	337	347	365
	HEIGHT	M	5,95	6,33	6,7	6,95	7,33
	NUMBER		194	194	194	194	194
	MAIN		3/4/3/2	3/4/3/2	3/4/3/2	3/4/3/2	3/4/3/2
RISERS	NUMBER TRIMS	4	A/B/C/D -	A/B/C/D -	A/B/C/D -	A/B/C/D -	A/B/C/D -
TOTAL WEIGHT IN FLIGHT	MINIMUM	KG	45	60	75	90	100
	MAXIMUM	KG	65	80	95	110	130
GLIDER WEIGHT		KG	4,9	5,2	5,5	5,8	6,1
CERTIFICATION			LOAD TEST	EN-B / DHV 1-2	EN-B / DHV 1-2	EN-B / DHV 1-2	EN-B / DHV 1-2